

GNU Emacs 22.0.xx for Sharp SL-C series

Hiroshi Maruyama

2006.12.20

ATTENTION

These IPKs of **GNU Emacs 22.0.xx**, a development or pretest version for version 22, are built for **Sharp Linux Zaurus SL-C series** properly with CVS Head repository, and distributed in the hope that these will be useful, but **WITHOUT ANY WARRANTY; without even the implied warranty of MECHANABILITY or FITNESS FOR A PARTICULAR PURPOSE.**

1 PACKAGES

This ZIP archive is consisted of core package(`emacs22`), emacs lisp(`emacs22-lisp`), info manual(`emacs22-info`) and input method(`emacs22-leim`).

- `emacs22_22.0.92-(date)_arm.ipk`
- `emacs22-lisp1_22.0.92-(date)_arm.ipk`
- `emacs22-lisp2_22.0.92-(date)_arm.ipk`
- `emacs22-lisp3_22.0.92-(date)_arm.ipk`
- `emacs22-info_22.0.92-(date)_arm.ipk`
- `emacs22-leim_22.0.92-(date)_arm.ipk`

2 INSTRUCTION to INSTALL

You could install all 6 ipk packages with ‘`ipkg`’ command as following,

```
# ipkg update && ipkg install emacs22
```

and you could also install the packages one by one, when you’ve downloaded them in your Zaurus.

Core package(`emacs22`) and 3 emacs lisp packages(`emacs22-lisp`) must be installed but info and leim packages are optional.

3 REQUIREMENTS and BUILDING OPTIONS

Terminal version

None is required.

```
--prefix=/opt/QtPalmtop --host=arm-sharp-linux-gnu \  
--without-x --without-sound --disable-asserts
```

X11 support

X/Qt Server¹ is required. Graphic libraries are static linked so that you could use with both version 1 and version 2 of X/Qt server.

```
--prefix=/opt/QtPalmtop --host=arm-sharp-linux-gnu \  
--with-gif --with-png --with-jpeg --with-xpm --with-tiff \  
--with-x --without-xim --without-sound
```

X11 support with LesTif

X/Qt Server and LessTif package are required.

```
--prefix=/opt/QtPalmtop --host=arm-sharp-linux-gnu \  
--with-gif --with-png --with-jpeg --with-xpm --with-tiff \  
--with-x --with-x-toolkit=motif --without-xim --without-sound
```

4 MODIFICATIONS

Some modifications are done in ‘site-start.el²’ for the particularity of Linux Zaurus, ‘ls’ command is provided as a part of BusyBox.

- `dired-use-ls-dired` is set to *nil* for suppressing “listing directory failed”.
- `ansi-color-for-comint-mode-on` is add-hook-ed to suppress dizzy listing in *Shell-mode*.
- `defadvice`³ for *open-network-stream* to prevent from confusion with Emacs’s DNS cache in mobile use.

5 SUPPOTED MODELS

Sharp Linux Zaurus SL-C700, SL-C750/C760, SL-C860, SL-C1000, SL-C3000/C3100/C3200 should be supported.

¹<http://xqt.sourceforge.jp/>

²see details, `/opt/QtPalmtop/share/emacs/site-lisp/site-start.el`

³Thanks to Mr. Hideyuki Shirai. (<http://ko.meadowy.net/~shirai/diary/>)

6 HOW to USE

execute `M-x help-with-tutorial` in your Emacs. Have a fun.

7 CONTACT INFORMATION

You could download from <http://www.focv.com/ipkg/> and Network Feed⁴, and any suggestion and reports are welcome.⁵

⁴<http://www.focv.com/feed/>
⁵<mailto:maru@focv.com>